



PLAN

MH FRAME & GRATE,
BRICK TO GRATE &
MORTAR AROUND
PIPE TO BE SUPPLIED
AND INSTALLED BY
OTHERS




ELEVATION

WWF WITH $A_s = .12$ SQ. IN.
TYP. CTR IN WALLS AND BASE



SECTION A-A



ISOMETRIC

GENERAL NOTES:

1. Designed for AASHTO HS25-44 loading.
2. Concrete Strength $f_c = 4000$ psi.
3. Reinforcing Steel :ASTM A185 (wwf) $f_y = 60,000$ psi
4. Weight = .76 tons.

MORTAR	SECTION JOINT		B1
BY CONTRACTOR			C1
MORTAR	PIPE SIZE	NON SHRINK GROUT BY CONTRACTOR	
CSI ID #		QUANTITY	
CONCRETE		.38 YDS	
RM-00098		15 LBS	

TYPICAL DROP INLET BOX 2' x 2' x 2'
CSI PART # BX-2X2X2DI

CONTRACTOR:	Contract No.
ENGINEER:	Date
JOB:	Drawing No. BX-2X2X2DI
LOCATION:	Revision

Concrete Systems Inc.
9 Commercial St., Hudson, NH, 03051
Phone 603-889-4163
Fax 603-889-0039